WI-464 Patrick H. Doody House Salisbury Private

The Patrick H. Doody house, located on the northwest corner of Camden Avenue and South Boulevard, stands in distinct contrast to its contemporaneous across the street neighbor, the Judge Joseph L. Bailey house. (See WI-463) Both brick dwellings were erected during the early twentieth century with Colonial Revival influences, but each house was based on different design traditions. The Judge Bailey house was erected on a strict neoclassical symmetry with an even five bay principal facade and a center hall plan. The Doody house, on the other hand, follows an asymmetrical plan common to the Queen Anne style. Typical of the eclecticism of the early twentieth-century architecture, the asymmetrical plan of the Doody house is dressed in a combination of Colonial Revival and Victorian decorative finishes. Projecting pavilions and bay windows, liberally used in Victorian dwellings, contrast with neoclassical porches and modillion block cornices that dominate the exterior design.

Construction of this impressive two-and-a-half story pressed brick dwelling took place during the ownership of Patrick H. Doody, a prominent Salisbury grocer who acquired this corner lot from Fred P. Adkins and W. E. Booth in July 1912. In 1920 Patrick Doody, then aged 50, is listed in the 1920 census with his 46-year old wife Eloise McBriety Doody. Following the death of Patrick Doody the brick house and lot passed to his wife and daughter, Eloise Patricia Truitt, and then to George Victor Taylor, who retained ownership until the early 1970s.

Inventory No. W I-464

Maryland Historical Trust Maryland Inventory of Historic Properties Form

. Name	of Property (indicate p	preferred name)		
historic	Patrick H. Doody House			
other	net figt slike om til den skille skil		aans kannaan saatsi suosuunna sen alonnannan polininannaisellin iliyin heliyin lakkain kaikeliin l	
. Locat	ion			
street and n	umber 808 Camden Avenue			not for publication
city, town	Salisbury			vicinity
county	Wicomico	sementarios autoration, eta la 2004 antis antis (antis (an		
. Owne	er of Property (give names a	nd mailing addresses of al	ll owners)	
name	Dorothy B. Hoeck			
street and n	umber 12312 Harbour Circle		telephone	
city, town	Fort Washington	state MD	zip code	20744
. Locat	ion of Legal Description			
			toy man and nareal	Man 114 Darrol 1276
courthouse,	registry of deeds, etc. Wicomico County	v Clerk of Court	tax map and parcer	Map 114, Parcel 1279
courthouse,	registry of deeds, etc. Wicomico Count Salisbury, Maryland	y Clerk of Court	liber 1343	folio 376

6. Classification

Category	Ownership	Current Function		Resource C	Count
district x building(s) structure site object	public x private both	agriculture commerce/trade defense domestic education funerary government health care industry	landscape recreation/culture religion social transportation work in progress unknown vacant/not in use other:		Noncontributing buildings sites structures _ objects Total contributing Resources isted in the Inventory

Inventory No. WI-464

Name Patrick H. Doody House Continuation Sheet

Number	7	Page	1

7. Description

Inventory No. WI-464

Condition

excellent

deteriorated

x good

ruins

fair

altered

Prepare both a one paragraph summary and a comprehensive description of the resource and its various elements as it exists today.

The Patrick H. Doody house stands at 808 Camden Avenue in the Camden Historic District in Salisbury, Wicomico County, Maryland. The two-and-a-half story, irregular plan brick dwelling faces east with the principal roof oriented on an east/west axis. Joining the brick house on the city lot is a single-story brick garage that dates from the same period as the house.

Dating around 1912, the two-and-a-half story, irregular planned brick dwelling is supported on a raised foundation with an excavated cellar, and exterior is laid in hard pressed brick with thin mortar joints. Each elevation is based on an asymmetrical design with a projecting bay or pavilion. The pressed brick dwelling is covered by a steeply pitched hip roof sheathed with slate. Attached to the back of the main block is a two-story, two-bay by two-bay kitchen wing.

The east (main) elevation is defined by a projecting two-and-a-half story pavilion topped by a gable front roof. The main entrance is located in the recessed bay where paneled front door is framed by sidelights and a transom. A rusticated stone lintel stretches across the top of the entrance and a slab of stone serves as a sill. The front entrance is sheltered by a wraparound porch of fluted Doric columns resting on brick plinths. Stretching between the brick plinths is a pierced brick railing. The entry is defined by a low pitched gabled pediment. The adjacent projecting pavilion is pierced on the first floor by a tripartite window. A twelve-over-one sash window is flanked by six-over-six sash windows, and the entire opening is spanned by rusticated stone lintel. The second floor is lighted by single window openings in each bay. Above the entrance is a nine-over-one sash window opening, and a low railing of turned balusters is fixed to the low pitched roof. The pavilion is lighted by an eight-over-one sash window. Each opening is spanned by a rusticated stone lintel. The gable end of the pavilion is pierced by paired four-over-one sash windows. Trimming the edge of the slate roof is a heavy cornice fitted with large modillion blocks as well as bed and crown moldings. The ridge of the hip roof is finished with a metal cresting.

The south side is an asymmetrical elevation with a projecting two-and-a-half story pavilion fixed between the single story front porch and a two-story porch that extends from the rear kitchen wing. Off-center is an exterior brick chimney that pierces the heavy block cornice. The south face of the chimney stack is paneled, and the cap is corbelled. The first and second floors are lighted by nine-over-one sash windows, and each opening is spanned by a rusticated stone lintel. The projecting pavilion is extended by a two-story bay window finished with a combination of wood and slate sheathings. The

Inventory No. WI-464

Name Patrick H. Doody House Continuation Sheet

Number 7 Page 2

first and second floors are lighted by nine-over-one sash windows. The top of the bay window is finished with block cornice, and the roof is accented with a low turned baluster railing. The gable end of the pavilion is pierced by a six-over-one sash window, and the opening is fitted with a rusticated stone lintel.

The west (rear) wall of the main block is largely covered by the two-story, two-bay service wing, which is extended on its south side by a two-story porch and to the west by a single-story porch. The slate roofs of the porches are supported by paneled posts with segmental arches fixed between the bays. Two bays of the first floor south porch are glazed above a slate covered knee wall. The second floor porch has a slate covered knee wall as well. The west gable end of the kitchen wing is defined by an asymmetrical arrangement of openings. A small diamond pane window is fixed on the south second floor bay. The attic is lighted by a pair of six-over-one sash window openings. All of the window openings are spanned by rusticated stone lintels. The edge of the slate roof is trimmed with a modillion block cornice.

The north side of the house is finished in a similar fashion with a projecting pavilion. An interior brick stack rises through the roof.

Standing behind the house is a single-story brick garage covered by a hip roof of asbestos shingles. Large garage bays pierce the south side, and the sides are pierced by segmental arched window openings.

Inventory No. WI-464

x not evaluated

Name Patrick H. Doody House Continuation Sheet

National Register

Number 8 Page 1

8. Significance

		Inventory No	. WI-464		
Period	Melanina kunjaktiri kalan	Areas of Significance	Check and j	ustify below	egyptiningspininkten (1879/1990-1997) (1770/1990-1990 1997) (1879/1990-1990)
1600-1699 1700-1799 1800-1899	X	agriculture archeology architecture	economics education engineering	health/medicine industry invention	performing arts philosophy politics/government
x1900-1999 2000-		art commerce communications community planning conservation	entertainment/ recreation ethnic heritage exploration/ settlement	landscape architecture law literature maritime history military	religion science social history transportation other:
Significance	e dat	es		Architect	
Specific dat	es			Builder	

Prepare a one-paragraph summary statement of significance addressing applicable criteria, followed by a narrative discussion of the history of the resource and its context. (For compliance reports, complete evaluation on a DOE Form – see manual.)

Maryland Register

The Patrick H. Doody house, located on the northwest corner of Camden Avenue and South Boulevard, stands in distinct contrast to its across the street neighbor, the Judge Joseph L. Bailey house. Both brick dwellings were erected during the early twentieth century with Colonial Revival influences, but each house was based on different design traditions. The Judge Bailey house was erected with a strict neoclassical symmetry with an even five bay principal facade and a center half plan. The Doody house, on the other hand, followed an asymmetrical plan common to the Queen Anne style. Common to the eclecticism of the early twentieth-century architecture, the asymmetrical plan of the Doody house is dressed in a combination of Colonial Revival and Victorian decorative finishes. Projecting pavilion and bay windows, typical of Victorian dwellings, contrast with neoclassical porches and modillion block cornices that dominate the exterior appearance.

Construction of this impressive two-and-a-half story pressed brick dwelling took place during the ownership of Patrick H. Doody, a prominent Salisbury grocer who acquired this corner lot from Fred P. Adkins and W. E. Booth in July 1912.

¹ Wicomico County Land Record, EAT 80/449, 20 July 1912.

Inventory No. WI-464

Name Patrick H. Doody House Continuation Sheet

Number 8 Page 2

In 1920 Patrick Doody, then aged 50, is listed in the 1920 census with his 46-year old wife Eloise McBriety Doody.² Following the death of Patrick Doody the brick house and lot passed to his wife and daughter Eloise Patricia Truitt, and then to George Victor Taylor, who retained ownership until the early 1970s.³

² Fourteenth Census of the United States, 1920, transcribed by Ruth T. Dryden, 1994, p. 125.

³ Wicomico County Land Record, JWTS 781/115, 23 January 1973.

Inventory No. WI-464

Name Patrick H. Doody House **Continuation Sheet**

Numb	er	8	Pac	16	3
1 4 74 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- L	~	* **	40	v

HISTORIC CONTEXT:

MARYLAND COMPREHENSIVE PRESERVATION PLAN DATA

Geographic Organization: Eastern Shore

Chronological/Developmental Period(s): Industrial/Urban Dominance 1870-1930

Historic Period Theme(s): Architecture

Resource Type:

Standing Structure

Category:

House

Historic Environment: Residential District

Historic Function(s) and Use(s): Domestic

Known Design Source:

9. Major Bibliographical References

WI-464

10. Geographical Data

Acreage of project area Acreage surveyed Quadrangle name

Salisbury, Maryland

Quadrangle scale 1:24,000

Verbal boundary description and justification

11 Form Prepared by

name/title	Paul B. Touart, Architectural Historian
organization	Private Consultant
street & number	P. O. Box 5
city or town	Westover, Maryland 21871

The Maryland Inventory of Historic Properties was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to: Maryland Historical Trust

DHCD/DHCP

100 Community Place Crownsville, MD 21032

410-514-7600

WI-464
Patrick H. Doody House
808 Camden Avenue
Salisbury, Wicomico County, Maryland
Chain of title

Map 114, Parcei 1279

1343/376 Leroy E. Hoeck

10

4/22/1993 Dorothy B. Hoeck

and being Lots No. 12 and 15 as shown on plat entitled "Land of Fred P. Adkins and W. E. Booth" made by P. S. Shockley, dated 7/27/1910, EAT 74/506

JWTS 800/160 Patrick K. Truitt

to

9/14/1973 Leroy E. Hoeck

being also the same lot of ground which by Item Second

of a deed dated 1/23/1973, JWTS 781/115 and

conveyed by Patrick K. Truitt, personal representative of

the estate of G. Victor Truit

JWTS 781/115 Patrick K. Truit

Personal Representative of the Estate of

G. Victor Taylor

to

1/23/1973 Patrick K. Truitt

Item 2

WI-464 Page 2

Patrick H. Doody House 808 Camden Avenue Salisbury, Wicomico County, Maryland Chain of title continued

JWTS 310/391 Eloise Patricia Truitt

to

5/31/1949 Eloise McBriety Doody for life and then to George

Victor Taylor 2/3 interest; the said Eloise McBriety

Doody having since departed this life

EAT 80/449 Fred P. Adkins. et al.

to

7/20/1912 Patrick H. Doody

upon the death of Patrick H. Doody the aforesaid property passed unto Eloise McBriety Doody, widow and Eloise Patricia Truitt (nee Eloise Patricia Doody)

EAT 67/137 Caroline A. Dennis

M. Frank Dennis, N. Y. C.

te

10/23/1909 Fred P. Adkins

William E. Booth

\$100 "Camden"



Pro L BIEN - ++ Carrinane de la companya della compa Mish No Bernson 1 = 1 2



111 = 4 9 Marie distant SALISBOOK MIKINES Co., E. .. Sammer Private of